

Argo

Outdoor Wall Sconce 3000K

Fixture Type:	
Catalog Number:	
Project:	
Location:	

Model & Size	Color Temp	Finish	LED Watts	LED Lumens	Delivered Lumens
WS-W39305 5"	3000K	BK Black	10W	950	443

Example: WS-W39305-BK

For custom requests please contact customs@waclighting.com

DESCRIPTION

Squarely there. A harmonious outline capturing etched diffusers shining with a uniform glow.

FEATURES

- Illumination on five sides with acrylic diffuser
- ACLED driverless technology
- 5 Year warranty

SPECIFICATIONS

Color Temp: 3000K

Input: 120 VAC,50/60Hz

CRI: 90

Dimming: ELV: 100-5% ,TRIAC: 100-10%


Rated Life: 60000 Hours

Mounting: Can be mounted on ceiling or wall in all orientations

Standards: ETL, cETL,IP65,Title 24 JA8 Compliant

Wet Location Listed

Construction: Aluminum body with PC diffuser




FINISHES:



Black

LINE DRAWING:



WAC LIGHTING

Argo

Outdoor Wall Sconce 3000K

Fixture Type:
Catalog Number:
Project:
Location:

Model & Size	Color Temp	Finish	LED Watts	LED Lumens	Delivered Lumens
WS-W39310 10"	3000K	BK Black	20W	2405	1121

Example: WS-W39310-BK

For custom requests please contact customs@waclighting.com

DESCRIPTION

Squarely there. A harmonious outline capturing etched diffusers shining with a uniform glow.

FEATURES

- Illumination on five sides with acrylic diffuser
- ACLED driverless technology
- 5 year warranty

SPECIFICATIONS

Color Temp: 3000K

Input: 120 VAC,50/60Hz

CRI: 90

Dimming: ELV: 100-5% ,TRIAC: 100-10%

Rated Life: 60000 Hours

Mounting: Can be mounted on ceiling or wall in all orientations

Standards: ETL, cETL,IP65,Title 24 JA8 Compliant

Wet Location Listed

Construction: Aluminum body with PC diffuser




FINISHES:



Black

LINE DRAWING:



WAC LIGHTING

Argo

Outdoor Wall Sconce 3000K

Fixture Type:	
Catalog Number:	
Project:	
Location:	

Model & Size		Color Temp	Finish	LED Watts	LED Lumens	Delivered Lumens
WS-W39316	16"	3000K	BK Black	30W	4310	2009

Example: WS-W39316-BK

For custom requests please contact customs@waclighting.com

DESCRIPTION

Squarely there. A harmonious outline capturing etched diffusers shining with a uniform glow.

FEATURES

- Illumination on five sides with acrylic diffuser
- ACLED driverless technology
- 5 year warranty

SPECIFICATIONS

Color Temp: 3000K

Input: 120 VAC,50/60Hz

CRI: 90

Dimming: ELV: 100-5% ,TRIAC: 100-10%


Rated Life: 60000 Hours

Mounting: Can be mounted on ceiling or wall in all orientations

Standards: ETL, cETL,IP65,Title 24 JA8 Compliant

Wet Location Listed

Construction: Aluminum body with PC diffuser



FINISHES:



LINE DRAWING:

