

WAC LIGHTING

Corso

Pendant 3000K

Fixture Type: _____
 Catalog Number: _____
 Project: _____
 Location: _____

Model & Size	Color Temp	Finish	LED Watts	LED Lumens	Delivered Lumens
PD-33718 18"	3000K	AL Brushed Aluminum BK Black WT White	22W	1495	940

Example: **PD-33718-WT**

For custom requests please contact customs@wacighting.com

DESCRIPTION

Cleverly hidden LED modules and a circular frosted diffuser floating inside a halo of spun aluminum.

FEATURES


- Minimalist look with no visible power cord
- Even illumination with no hotspots
- Cable suspension carrying low voltage may be field shortened
- Driver concealed within the canopy
- 5 year warranty

SPECIFICATIONS

Color Temp:	3000K
Input:	120-277V,50/60Hz
CRI:	80
Dimming:	ELV: 100-10% , 0-10V: 100-5%
Rated Life:	75000 Hours
Standards:	ETL, cETL Damp Location Listed
Construction:	Aluminum body with acrylic diffuser




FINISHES:



White Brushed Aluminum Black

LINE DRAWING:



PD-33718

WAC LIGHTING

Corso

Pendant 3000K

Fixture Type: _____
 Catalog Number: _____
 Project: _____
 Location: _____

Model & Size	Color Temp	Finish	LED Watts	LED Lumens	Delivered Lumens
PD-33732 32"	3000K	AL Brushed Aluminum BK Black WT White	88W	6340	4435

Example: **PD-33732-WT**

For custom requests please contact customs@wacighting.com

DESCRIPTION

Cleverly hidden LED modules and a circular frosted diffuser floating inside a halo of spun aluminum.

FEATURES


- Minimalist look with no visible power cord
- Even illumination with no hotspots
- Cable suspension carrying low voltage may be field shortened
- Driver concealed within the canopy
- 5 year warranty

SPECIFICATIONS


Color Temp:	3000K
Input:	120-277V,50/60Hz
CRI:	80
Dimming:	ELV: 100-10% , 0-10V: 100-5%
Rated Life:	75000 Hours
Standards:	ETL, cETL Damp Location Listed
Construction:	Aluminum body with acrylic diffuser



FINISHES:



LINE DRAWING:



PD-33732

WAC LIGHTING

Corso

Pendant 3000K

Fixture Type: _____
 Catalog Number: _____
 Project: _____
 Location: _____

Model & Size	Color Temp	Finish	LED Watts	LED Lumens	Delivered Lumens
PD-33743 43"	3000K	AL Brushed Aluminum BK Black WT White	125W	11115	7300

Example: **PD-33743-WT**

For custom requests please contact customs@wacighting.com

DESCRIPTION

Cleverly hidden LED modules and a circular frosted diffuser floating inside a halo of spun aluminum.

FEATURES


- Minimalist look with no visible power cord
- Even illumination with no hotspots
- Cable suspension carrying low voltage may be field shortened
- Driver concealed within the canopy
- 5 year warranty

SPECIFICATIONS

Color Temp:	3000K
Input:	120-277V,50/60Hz
CRI:	80
Dimming:	ELV: 100-10% , 0-10V: 100-5%
Rated Life:	75000 Hours
Standards:	ETL, cETL Damp Location Listed
Construction:	Aluminum body with acrylic diffuser




FINISHES:



White Brushed Aluminum Black

LINE DRAWING:



PD-33743